

## EAST Search History

| Ref # | Hits | Search Query                      | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|-----------------------------------|--|------------------|---------|------------------|
| S1    | 2    | "5497490".pn.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/03/29 12:02 |
| S2    | 2    | "5530862".pn.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/05 12:12 |
| S3    | 2    | "5740431".pn.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/05 12:12 |
| S4    | 2    | "5781710".pn.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/05 12:13 |
| S5    | 2    | "5787288".pn.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/05 16:10 |
| S6    | 2    | "5877966".pn.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/05 16:12 |
| S7    | 2    | ((("5951680") or ("5951680")).PN. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/05/05 16:14 |
| S8    | 2    | ("6112256").PN.                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/05/05 16:16 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S9  | 139  | 709/223-224, "221".ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 16:17 |
| S10 | 0    | 709/223,224, "221".ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 16:17 |
| S11 | 7423 | 709/221,223,224.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 16:18 |
| S12 | 4    | S11 and manag\$3 with (network<br>near3 device\$1) with (facsimile and<br>printer and scan\$4)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 16:19 |
| S13 | 41   | S11 and (manag\$3 with (network<br>near3 device\$1)) and (facsimile and<br>printer and scan\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 17:01 |
| S14 | 0    | (manag\$3 with multifunction with<br>pheripheral\$1) and reconfigur\$3                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 17:03 |
| S15 | 0    | (manag\$3 with multifunction with<br>pheripheral\$1)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 17:03 |
| S16 | 5    | S11 and (detect\$3 adj2<br>reconfiguration) and trigger\$3                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/05 17:13 |

## EAST Search History

|     |       |  |  |    |     |                  |
|-----|-------|--|--|----|-----|------------------|
| S17 | 10    | S11 and (detect\$3 adj2 reconfiguration)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/05 17:21 |
| S18 | 42977 | trigger with detect\$3                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/05 17:22 |
| S19 | 174   | S18 and S11                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/05 17:22 |
| S20 | 154   | S19 and monitor\$3                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/05 17:23 |
| S21 | 2     | ("5696701").PN.                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/05/05 18:09 |
| S22 | 2     | ((("6550017.pn.") or ("6550017")). PN.         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/05/05 18:09 |
| S23 | 2     | ("20010025312").PN.                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/05/06 12:47 |
| S24 | 5     | version with profile with (network adj device) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/11 11:16 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S25 | 94  | device adj2 profile and version with program                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:44 |
| S26 | 0   | provid\$3 with (version adj number) with administrator                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 11:55 |
| S27 | 288 | provid\$3 with (version adj number)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 11:56 |
| S28 | 27  | provid\$3 with (version adj number) and profile                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:07 |
| S29 | 296 | provid\$3 with (version adj (\number or identification))                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:07 |
| S30 | 296 | provid\$3 with (version adj (number or identification))                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:07 |
| S31 | 6   | profile with (allowed adj3 (software or program or driver))             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:32 |
| S32 | 0   | (profile or (preset adj profile) or policy) and (provide near3 version) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:46 |

## EAST Search History

|     |        |   |  |    |    |                  |
|-----|--------|---|--|----|----|------------------|
| S33 | 0      | (profile or (preset adj profile) ) and<br>(provide near3 version) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:46 |
| S34 | 657286 | (profile or (preset adj profile) )                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:47 |
| S35 | 0      | S34 and provide with (progam<br>near3 version)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/11 12:47 |
| S36 | 4      | reconfigurat\$3 with multifunction<br>with device\$1              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:29 |
| S37 | 9010   | configurat\$3 with (multifunction or<br>imag\$3) with device\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:30 |
| S38 | 137    | configurat\$3 with (multifunction)<br>with device\$1              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:32 |
| S39 | 652    | reconfigur\$5 with (transmit\$3 or<br>send\$3) with network       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:33 |
| S40 | 2      | S39 and receiv\$3 near3 network<br>near3 confirmation             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:34 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S41 | 10  | S39 and (receiv\$3 near3 network) with (confirmation or notif\$4)                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:37 |
| S42 | 4   | S39 and (receiv\$3 near3 network) with confirmation                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:38 |
| S43 | 458 | multifunction with network with device\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:38 |
| S44 | 206 | S43 and configur\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:38 |
| S45 | 1   | S44 and (send\$3 or transmit\$3) with config\$3 with network                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:39 |
| S46 | 17  | S44 and (send\$3 or transmit\$3) with config\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/09/13 13:39 |
| S47 | 0   | detect\$3 with (large or more or increase\$3) with print with request\$1 with configur\$3 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/03/29 12:05 |
| S48 | 31  | detect\$3 with (large or more or increase\$3) with print with request\$1                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/03/29 12:11 |

## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S49 | 4235 | 709/220, "223".ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 12:11 |
| S50 | 3    | S49 and monitor\$3 with status with (RAM or ROM or CPU) with (device\$1 or (multifunction adj (device or peripheral)) or (printer and scanner)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 15:03 |
| S51 | 95   | S49 and monitor\$3 with (RAM or ROM or CPU) with (device\$1 or (multifunction adj (device or peripheral)) or (printer and scanner))             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 12:53 |
| S52 | 1366 | S49 and ((configur\$3 or reconfig\$4) with (device\$1 or (multifunction adj (device or peripheral)) or (printer and scanner)))                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 12:56 |
| S53 | 11   | S49 and ((configur\$3 or reconfig\$4) with ((multifunction adj (device or peripheral)) or (printer and scanner)))                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 13:01 |
| S54 | 2    | ("20030167270").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 13:03 |
| S55 | 2    | ("20050055322").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 13:04 |
| S56 | 2    | ("6480901").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 13:05 |

## EAST Search History

|     |      |  |  |    |     |                  |
|-----|------|--|--|----|-----|------------------|
| S57 | 2    | ("5621892").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 13:05 |
| S58 | 7238 | 709/221,224,226.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 13:33 |
| S59 | 114  | S58 and (reallocat\$3 with (resource\$1 or CPU or memory))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 14:12 |
| S60 | 5375 | 709/221,223.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 14:13 |
| S61 | 56   | S58 and (monitor\$3 or measur\$3) with performance with (client or device) and ((reallocat\$3 or delete or allocat\$3) with (resource\$1 or CPU or memory or RAM))           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 14:16 |
| S62 | 11   | ("20020083169"   "20020194319"   "20030145080"   "20030198235"   "6028842"   "6345185"   "6459682"   "6571290"   "6745242"   "6798742"   "H002051").PN. OR ("6928394").URPN. | US-PGPUB;<br>USPAT;<br>USOCR                                 | OR | ON  | 2006/03/29 15:01 |
| S63 | 5    | S58 and (detect near3 reconfiguration)   | US-PGPUB;<br>USPAT;<br>USOCR                                 | OR | ON  | 2006/03/29 15:02 |
| S64 | 289  | monitor\$3 with status with (RAM or ROM or CPU) with (device\$1 or (multifunction adj (device or peripheral)) or (printer and scanner))                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 15:14 |
| S65 | 2    | S64 and reallocat\$3 near3 (resource\$1 or memory or CPU)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 15:04 |



## EAST Search History

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S66 | 2318 | multifunction adj (device or peripheral)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:53 |
| S67 | 97   | S66 and SNMP  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 15:53 |
| S68 | 53   | S66 and reconfigur\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:06 |
| S69 | 40   | S66 and ((delete or reallocat\$3) near4 (resource\$1 or CPU or driver\$1 or software\$1 or memory)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:16 |
| S70 | 179  | reallocat\$3 with resource\$1 with (memory or cpu)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:43 |
| S71 | 0    | S70 and 709/224.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:17 |
| S72 | 2    | ("5497490").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:44 |
| S73 | 2    | ("5530862").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:46 |

## EAST Search History

|     |    |  |  |    |     |                  |
|-----|----|--|--|----|-----|------------------|
| S74 | 2  | ("5740431").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:46 |
| S75 | 2  | ("6112256").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:47 |
| S76 | 2  | ("5951680").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:48 |
| S77 | 10 | reconfigur\$3 with device\$1 with<br>(send\$3 or transmit\$3 or receiv\$3)<br>with (confirmation or notification)                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:49 |
| S78 | 22 | S66 and ((delete or reallocat\$3)<br>near4 (driver\$1 or function\$1))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/29 16:53 |
| S79 | 1  | (download\$3 or install\$3) near4<br>previous\$3 near4 delete\$2 near4<br>(application\$1 or driver\$1 or<br>software\$1) and "709"/\$.ccls. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/31 15:55 |
| S80 | 0  | delet\$3 near3 all near3 driver\$1<br>near3 except   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/31 18:53 |
| S81 | 0  | delet\$3 near3 all near3 (driver\$1 or<br>application\$1 or software\$1 or<br>module\$1) near3 except  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/31 18:54 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S82 | 19  | (delet\$3 near3 (driver\$1 or application\$1 or software\$1 or module\$1) near3 except )  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/03/31 19:17 |
| S83 | 2   | ("5675739").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/31 19:18 |
| S84 | 2   | ("5473773").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/31 19:18 |
| S85 | 2   | ("20020129048").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/31 19:18 |
| S86 | 581 | monitor\$3 with (health or status) with (resource\$1 or CPU or memory) and "709"/\$.ccls. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/01 10:56 |
| S87 | 162 | S86 and (SNMP or (simple adj network adj management adj protocol))                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/01 10:57 |
| S88 | 1   | S87 and ((send\$3 or transmit\$4) with confirmation with reconfig\$5)                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/01 10:58 |
| S89 | 4   | S87 and ((send\$3 or transmit\$4) with confirmation)                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/01 10:58 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S90 | 76 | S87 and ((send\$3 or transmit\$4) with (confirm\$5 or notification or success\$4))                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/01 11:40 |
| S91 | 1  | S87 and (((multifunction adj2 device\$1) or (digital adj printer) or (imaging adj2 device\$1)) with reconfig\$3)     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/01 11:41 |
| S92 | 13 | (((multifunction adj2 device\$1) or (digital adj printer) or (imaging adj2 device\$1)) with reconfig\$3)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/01 11:43 |
| S93 | 15 | (((multifunction adj2 device\$1) or (digital adj printer) or (imaging adj2 device\$1)) with SNMP)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/01 11:49 |
| S94 | 0  | (((multifunction adj2 device\$1) or (digital adj printer) or (imaging adj2 device\$1)) with download with driver\$1) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/01 11:50 |
| S95 | 5  | (((multifunction adj2 device\$1) or (digital adj printer) or (imaging adj2 device\$1)) with download with driver\$1) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/01 11:50 |